

Bundesrepublik Deutschland (brd)

March 16, 2000
V29698PCUS BÖ/EI/ps

5

Patent claims

1. A costimulating molecule

a) having the biological activity of costimulation of T cells,

10 b) which occurs on activated CD4⁺ and CD8⁺ T lymphocytes but not resting or activated B cells, granulocytes, monocytes, NK cells or dendritic cells, and

c) which has two polypeptide chains, the said molecule having a molecular weight of about 55 to
15 60 kDa determined in a nonreducing SDS polyacrylamide gel electrophoresis, and the two polypeptide chains of the said molecule having a molecular weight of about 27 kDa and about 29 kDa measured in a reducing SDS polyacrylamide gel electrophoresis.

20 2. A costimulating molecule having the biological activity of costimulation of T cells comprising an amino-acid sequence which shows at least 40% homology with the sequence comprising 199 amino acids in Fig. 15 (SEQ ID NO:2), or a biologically active fragment or an
25 analogue thereof.

3. A costimulating molecule having the biological activity of costimulation of T cells according to Claim 2 and comprising the amino acid sequence shown in Fig. 15 (SEQ ID NO:2), or a biologically active fragment or
30 an analogue thereof.

4. A DNA sequence which encodes a costimulating molecule according to Claim 1 or a fragment thereof.

5. A DNA sequence which encodes a costimulating molecule according to Claim 2 or a fragment thereof.

6. A DNA sequence encoding a costimulating molecule having the biological activity of costimulation of T cells, the sequence being selected from the group consisting of:

a) the DNA sequence shown in SEQ ID NO:1 (Fig. 16) and its complementary strand

b) DNA sequence hybridizing with the sequences in (a) and

10 c) DNA sequences which, because of the degeneracy of the genetic code, hybridize with the sequences in (a) and (b).

7. A plasmid or a viral DNA vector comprising a DNA sequence according to Claim 4.

15 8. A plasmid or a viral DNA vector comprising a DNA sequence according to Claim 5.

9. A prokaryotic or eukaryotic host cell stably transformed or transfected with a plasmid or DNA vector according to Claim 4.

20 10. A prokaryotic or eukaryotic host cell stably transformed or transfected with a plasmid or DNA vector according to Claim 5.

11. Method for preparing a costimulating molecule according to Claim 1, comprising the cultivation of the
25 host cell according to Claim 9 for expression of the said molecule in the host cell.

12. Method for preparing a costimulating molecule according to Claim 1, comprising the cultivation of the
30 host cell according to Claim 10 for expression of the said molecule in the host cell.

13. Method for preparing a costimulating molecule according to Claim 2, comprising the cultivation of the

host cell according to Claim 9 for expression of the said molecule in the host cell.

14. Method for preparing a costimulating molecule according to Claim 2, comprising the cultivation of the host cell according to Claim 10 for expression of the said molecule in the host cell.

15. An antibody which binds a costimulating molecule according to Claim 1.

16. An antibody which binds a costimulating molecule according to Claim 2.

17. An antibody according to Claim 15, which is a monoclonal antibody.

18. An antibody according to Claim 16, which is a monoclonal antibody.

19. A monoclonal antibody which specifically recognizes a costimulating molecule according to Claim 1, characterized in that B cells of mice which are immunized with human T lymphocytes activated PMA and the Ca^{2+} ionophore ionomycin are fused with a myeloma cell line to give an antibody-secreting hybridoma, and the monoclonal antibodies are purified in flow cytometry for 2-signal molecule-activated against resting T cells.

20. A monoclonal antibody which specifically recognizes a costimulating molecule according to Claim 2, characterized in that B cells of mice which are immunized with human T lymphocytes activated PMA and the Ca^{2+} ionophore ionomycin are fused with a myeloma cell line to give an antibody-secreting hybridoma, and the monoclonal antibodies are purified in flow cytometry for 2-signal molecule-activated against resting T cells.

21. A hybridoma cell which generates the monoclonal antibody according to Claim 15.

22. A hybridoma cell which generates the monoclonal antibody according to Claim 16.

23. Use of substances which inhibit the biological activity of a costimulating molecule according to Claims 1 as pharmaceuticals.

24. Use of substances which inhibit the biological activity of a costimulating molecule according to Claims 2 as pharmaceuticals.

25. Use according to Claim 23, where the substances comprise a monoclonal antibody, natural or synthetic ligands, agonists or antagonists.

26. Use according to Claim 24, where the substances comprise a monoclonal antibody, natural or synthetic ligands, agonists or antagonists.

27. Use of substances which inhibit the biological activity of a costimulating molecule according to Claim 1 for the production of a pharmaceutical for the treatment of autoimmune diseases, for the prevention of rejection reactions in organ transplants and for the treatment of dysregulation of the immune system.

28. Use of substances which inhibit the biological activity of a costimulating molecule according to Claim 2 for the production of a pharmaceutical for the treatment of autoimmune diseases, for the prevention of rejection reactions in organ transplants and for the treatment of dysregulation of the immune system.

29. Use of a costimulating molecule according to Claim 1 as pharmaceuticals.

30. Use of a costimulating molecule according to Claim 2 as pharmaceuticals.

31. Use of a costimulating molecule according to Claim 1 for the production of pharmaceuticals for the

treatment of cancers, Aids, asthmatic disorders and chronic viral diseases such as HCV and HBV infections.

32. Use of a costimulating molecule according to Claim 2 for the production of pharmaceuticals for the treatment of cancers, Aids, asthmatic disorders and chronic viral diseases such as HCV and HBV infections.

33. Use of cells comprising a costimulating molecule according to Claim 1 as pharmaceuticals.

34. Use of cells comprising a costimulating molecule according to Claim 2 as pharmaceuticals.

35. Use of cells according to Claim 33 for the production of a pharmaceutical for the treatment of cancers, Aids, asthmatic disorders and chronic viral diseases such as HCV and HBV infections.

36. Use of cells according to Claim 34 for the production of a pharmaceutical for the treatment of cancers, Aids, asthmatic disorders and chronic viral diseases such as HCV and HBV infections.

37. Use of substances which specifically recognize a costimulating molecule according to Claim 1 for the diagnosis of disorders in which the immune system is involved.

38. Use of substances which specifically recognize a costimulating molecule according to Claim 2 for the diagnosis of disorders in which the immune system is involved.

39. Use according to Claim 37, where the substances comprise nucleic acid (RNA, DNA) molecules.

40. Use according to Claim 38, where the substances comprise nucleic acid (RNA, DNA) molecules.

41. Use according to Claim 37, where a hybridization or nucleic acid application technique (for example PCR) is used for the diagnosis.

42. Use according to Claim 38, where a hybridization or nucleic acid application technique (for example PCR) is used for the diagnosis.

5 43. Use according to Claim 37, where the substances comprise a monoclonal antibody, natural and synthetic ligands, agonists and antagonists.

44. Use according to Claim 38, where the substances comprise a monoclonal antibody, natural and synthetic
10 ligands, agonists and antagonists.

45. Use according to Claim 37, where an ELISA detection, flow cytometry, Western blot, radioimmunoassay, nephelometry and a histochemical staining is used for the diagnosis.

15 46. Use according to Claim 38, where an ELISA detection, flow cytometry, Western blot, radioimmunoassay, nephelometry and a histochemical staining is used for the diagnosis.

47. Use of substances which have a positive or negative effect on (modulate) the signal transduction pathway of a costimulating molecule according to Claim 1
20 into the T cell as pharmaceuticals.

48. Use of substances which have a positive or negative effect on (modulate) the signal transduction pathway of a costimulating molecule according to Claim 2
25 into the T cell as pharmaceuticals.

49. Use of substances which prevent the up - regulation of a costimulating molecule according to Claim 1 on the T-cell surface as pharmaceuticals.

30 50. Use of substances which prevent the up - regulation of a costimulating molecule according to Claim 2 on the T-cell surface as pharmaceuticals.

51. Use of a costimulating molecule according to Claim 1 for producing antibodies.

52. Use of a costimulating molecule according to Claim 2 for producing antibodies.

1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200